

## HOUSING

Space required: 2.5ft square per layer or 6-7 layers per square metre. Litter material: wood shavings, chopped grass, coffee hawks and crushed maize cobs.

**Equipment ratio:** Drinkers 1:50 Layers, Feeders 1:30 Layers

## FEED REQUIRED

Age	Type of feed	Feed Required
0-8 wks	Chick Mash	2kgs per bird
9-20 wks	Growers Mash	6kgs per bird
21-90 wks	Layers Mash	49-56kgs per bird

## PERFORMANCE EXPECTED

- Mortality during rearing - 2 - 3%
- Mortality during laying - 5%
- Age at point of lay - (17-18 wks)
- Total egg production - 418 Eggs
- Off layers available - 88%

## WEEKLY EGG PRODUCTION

WEEK	OBUNJI (%)	WEEK	OBUNJI (%)
Week 19	6%	Week 27-43	93% - 96%
Week 20	40%	Week 44-Wiiki 60	80% - 89%
Week 21	66%	Week 61-Wiiki 73	70% - 79%
Week 22	88.2%	Week 80	75%
Week 23-25	90% - 93%	Week 90	70%

## DAY OLD CHICK HANDLING

1. Stack a maximum of 5 boxes high.
2. Provide a room temperature of 23°C
3. Provide sufficient ventilation
4. Delivery to farmer's place should be fast.

## ENKOKO EMBIISI

### EKIYUMBA KY'ENKOKO

Ebbanga eryetaagisa: liri fuuti bbiri ku buli nkoko oba enkoko 6 - 7 buli square meter.

Obukuta bwa wansi: Oyinza okukozesa obukutu bw'embaawo, obw'emmwanyi, obw'omuccere oba ebikongoliro ebikube.

### EMMERE EYEETAGISA

Wiiki	Ekika Kyemmere	Emere eyetagisa
Wiiki 0-8	Chick Mash	kilo 2 buli nkoko
Wiiki 9-20	Growers Mash	kilo 6 buli nkoko
Wiiki 21-90	Layers Mash	kilo 49-56 buli nkoko

## ENDABIRIRA ESUBIRWA

- Enkoko ezifa nga tezinabiika - 2% - 3%
- Enkoko ezifa nga zibiika - 8%
- Wiiki we zisookera okubiika - wiiki ya 18
- Amagi agasuubirwa mu buli nkoko - Amagi 318
- Omuwendo gw'enkoko ku nkomo y'okubiika - 88%

### Amagi agabitikibwa buli wiiki:

WEEK	OBUNJI (%)	WEEK	OBUNJI (%)
Wiiki 19	6%	Wiiki 27-43	93% - 96%
Wiiki 20	40%	Wiiki 44-Wiiki 60	80% - 89%
Wiiki 21	66%	Wiiki 61-Wiiki 73	70% - 79%
Wiiki 22	88.2%	Wiiki 80	75%
Wiiki 23-25	90% - 93%	Wiiki 90	70%

## 1.0 Nga obukoko tebanatuuka:

- Longoosa ekiyumba ofuuyire n'obuwuka bwonna.
- Longoosa ebikozesebwa byonna era obifuuyire ng'okozesa JIK.
- Ennyumba gireke ewummule wiiki bbiri.

## DAY OLD CHICKS TRANSPORTATION

1. Clean and disinfect trucks.
2. Ensure adequate ventilation in transit.
3. Once the vehicle reaches its destination, chicks should be off loaded immediately.

### Before Chicks arrive:

- Clean and disinfect room and equipment
- Heaters and lighting equipments should be in place.
- Construct / setup the brooder.

### On arrival

- Count the chicks to ensure the starting number.
- Mix glucose / vaccinate the chick

### During growing

- Feed Ugachick Chick Mash each bird will consume 2kg in 8 weeks period.
- Avoid feed wastage through spillage, rats and theft, etc, use feeders of good design.
- Always give enough water
- Feed Ugachick Growers Mash from 9 to 20 weeks.
- Introduce proper laying nests at 12 weeks, so that the pullets start getting used to them.
- Keep proper records of the feeds, drugs, charcoal, etc.
- De-beak your birds between 8-12 weeks

### DISEASE CONTROL:

- Litter depth : 4-6 inches should be turned regularly
- Plenty of ventilation
- Proper vaccination
- De-worm every month after 8 weeks of age.

### During growing

- Delay change over from growers mash to layers mash until the birds have reached 15-20% production
- Average feed intake per day should be 120 - 125 gms. If more, check wastage. If less, check for disease and stress.

### Routine management

- Provide enough feeders and space.
- Keep to a constant feeding routine to avoid any stress.

- Jja ensonda zonna mu nnyumba ye nkoko nga okozesa amabaati oba ebipapula ebya fuuti ebiri, enkoko ozikolere empeta (circle).
- Ssa ebinywero mu brooder circle nga mulimu amazzi (tabula kilo emu eya glucose mu litre kkumi (10) ez'amazzi).

### 1.1 Obukoko nga butuuse:

- Bala bulungi obukoko wekakase omuwendo gwa bwo.
- Obukoko buteeke kumpi n'essigiri oba ensuwa
- Buleke bunywe naye tobuwa mmere okutuusa nga essawa emu eyisewo olyoke obuwe emmere.
- Buwe ekitangaala emisana n'ekiro wiiki ezisooka ennya (4).
- Gezaako okulaba nga ebbugumu teriyitirira wabu la ng'era teriba ttono kufuuyisa bukoko mpewo.
- Bw'okozesa amabaati agatemagana, waggulu ku sigiri ebbugumu lituuka bulungi ku buli kakoko
- Gaziya ennyumba yobukoko nga bwe bukula.

### 1.2 Mubiseera ebyokukula:

- Obukoko buliise emmere ya Ugachick eyitibwa Chick Mash.
- Gezaako okulaba nga emmere teyiikayiika, tebibwa era nga teriibwa Mmese.
- Enkoko ziwe amazzi buli kadde.
- Buli bukoko amakumi abiri buwe akatiba aka fuuti essatu
- Mu sabbiiti ey'omwenda okutuuka ku sabbiiti ey'amakumi abiri enkoko ziwe emmere ya Ugachick eyitibwa Growers mash. Buli nkoko erya kilo 6.
- Mu sabbiiti ey'ekumi n'omukaaga, enkoko ziteeremu ebibiikiro zisobole okubimanyila.
- Kuuma obuwandiike obukwata ku ndiisa, ku nzijanjabu, ne ku byonna ebirimu ennyingiza n'ensaasanya.
- Enkoko zisale emimwa wakati wa wiiki ey'omunana nekumi nebbiri.

### 1.3 Okwekuuma endwadde:

- Kozesa obukuta nga bukulu bulungi.
- Enyumba ebeere nga eyisa bulungi empewo.
- Gema enkoko zo mubudde.

- Never decrease the amount of feed and use Ugachick feeds.
- Always have fresh clean water.
- Make sure the birds get atleast 12 hrs. light.
- Do not entertain strangers anywhere near your chicken house.
- De-worm the birds every month starting from 6 - 8 weeks.
- Avoid stress that can result into feather pecking, egg eating and cannibalism.
- Collect eggs several times a day and store them in a cool place.
- Check and treat external parasites.
- Cull non laying hens.
- Keep proper records.
- Save money for your replacement flock well in advance.
- Always have a weighing scale to weigh the exact feed amount to give.
- In drought weather conditions, supplement vitamins in drinking water.
- Always isolate wounded, sick, and under weight birds until recovery.
- Green feeding - greens must be dipped in salt solution to eliminate eggs for worms.
- Ensure de-beaking is done (8th -12th week)

### IMPORTANT POINTS TO NOTE:

#### Vaccination:

- Always follow the vaccination program
- Note and avoid using expired vaccines.
- Ensure proper storage and transportation of vaccines.
- Always use distilled or (boiled and cooled) water for preparing vaccines.
- Give vitamins in water after vaccination.

#### Treatment

Follow manufacturer's instruction for each type of drug.

- Donot use expired drugs
- Follow the withdrawal period (from treatment to consumption).
- Strong anti-biotics should be administered along with vitamins to reduce stress.

#### Housing structure:

- The house should be tall enough with wide window frames (with wire mesh) to enable free aeration.
- Where possible, floor should be concrete to avoid rodents and to ensure thorough cleaning and disinfection.

### 1.4 Akadde k'okubiika

- Bandaala mu kukyusa ekika kye mmere okuva ku Growers mash okudda ku layers mash okutuusa nga enkoko zituuse ku mbiika eri wakati we bitundu 15 -20 kubuli 100
- Ekigero kye mmere buli lunaku ku nkoko embiisi kiri wakati wa graamu 120 - 125. Bwe kisuka wano, kebera okuyiikayiika kwe mmere. Bwe kika wansi wa kino, kebera enkoko endwade wamu n'omusujja.

### 1.5 Byolina okukola buliijo:

- Enkoko ziwe ebinyweerwamu, ebirirwamu, n'ebbanga erizimala.
- Tokyusa kyusa bisera byogabiramu mmere.
- Tokendeeza bungi bwa mmere oba okuva ku mmere ya Ugachick.
- Laba nti ekitangaala kizimala essaawa ekkumi n'ebiri ez'emisana.
- Tokiriza mugenyi kumpi na nnyumba ya nkoko zo.
- Enkoko ziwe eddagala ly'ebiwuka buli mwezi.
- Weegendereze obutakuluusanya nkoko ekiyinda okuzireetera okwemannya ebyoya, okulya amagi, n'okwebojja.
- Londa amaggi emilundi mingiko buli lunaku era amagi gano gateereke mukifo ekikalu ate nga kiweweewu.
- Enkoko ezitabika zitunde.
- Kuma obuwandike bwa buli kimu.
- Terekayo ku kasente akokuletayo enkoko endala mu budde.
- Ziwe emmere entabule obulungi eya Ugachick ejjudde ebulungo.
- Enkoko ziwe omuddo.
- Enkoko zisale emimwa.

### WEGENDEREZE BINO WAMMANGA

#### Okugema (weewale)

- Okukozesa eddagala erigema nga likadiye.
- Okutereka ububi eddagala erigema.
- Okutambuuzza ububi eddagala erigema, nga lyokebwa omusana.
- Enkozesa yedagala erigema ububi, amazzi amajama nebilala.
- Enkoko ziwe vitamins buli lwomala okugema okuzizaamu amaanyi.



**Invest in Poultry Farming!!**

## COMMERCIAL LAYERS

Magigye Farm, Namulonge Rd, Gayaza  
P.O.Box 12337, Kampala - Uganda

Tel: +256 414 250341,  
+256 392 853492

E-mail: [ugachicks@gmail.com](mailto:ugachicks@gmail.com),

Website: [www.ugachick.co](http://www.ugachick.co)

### VACCINATION PROGRAMME

Week	Vaccine	Method	Remarks
Day 1	Mareks Newcastle +IB IBD (MB)	Sub Cateneous Spray Beak Dip	at the Hatchery
7 Days	NCD + IBD	Eye drop	at the farm
12 Days	IBD (MB)	Oral/Drinking Water	at the farm
21 Days	IBD 2 (MB)	Drinking Water/ Eye drop	at the farm
28 Days	NCD (Lasota)	Drinking Water/ Eye drop	at the farm
Week 6	Fowl Pox	Wing Web	at the farm
Week 8	NCD + IB	Drinking Water/ Eye drop	at the farm
Week 9	Deworming	Drinking Water / Oral	at the farm
Week 10	Fowl Typoid	Intra-Muscular	at the farm
Week 15	Deworming	Drinking Water	at the farm
Week 16	Fowl Typoid	Intra-Muscular	at the farm
Week 18	NCD (Lasota) /	Drinking Water	at the farm
	NCD + IB inactivated	Intra-Muscular	Repeat every after 5 months or 6-8 weeks

### ENGERI YOKUKWATAMU OBUKOKO OBUTO

- 1• Tosusa box taano obuwanvu
- 2• Obukoko buteke webufunira ku mpewo yobulamu
- 3• Obukoko busanye okutuka ew'omulunzi mubwangu awatali kulwawo.

### OKUTAMBUZA OBUKOKO OBUTO:

- 1• Emotoka nga ebikidwako wagulu nga ate mumabali eyisa empewo.
- 2• Nga erongoseddwa ate nga efuyiddwa.
- 3• Tosusa buwanvu bwa box 4.
- 4• Emotoka yobukoko esanye okutamburirawo mubwangu.
- 5• Emotoka y'obukoko esanye evugibwe n'obwegendereza
- 6• Nga butusiddwa kudundiro, busanye okutikulwa kumotoka mubwangu ne butekebwa mukifo awali ekisikirize ne mpewo.